

### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with William M. Blackstone on 8/19/2008.

The first paragraph of the specification has been amended as follows:

This application is a Continuation-in-Part of International Application Number: PCT/EP03/01905, filed February 25, 2003, which claims priority to European applications EP02075881.9, filed March 1, 2002, and EP02079827.8, filed November 21, 2002; and this application further claims priority to EP03075842.9, filed March 24, 2003.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mary E. Mosher, Ph.D. whose telephone number is 571-272-0906. The examiner can normally be reached on varying dates and times; please leave a message.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bruce Campbell can be reached on 571-272-0974. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Mary E Mosher, Ph.D./  
Primary Examiner, Art Unit 1648

8/19/08